



Address: Ukhaa Khudag Coal mine, Tsogtsetsii, Umnugobi
Email: Laboratory@mmc.mn

COAL CHEMISTRY LABORATORY



ACCREDITED LABORATORY TEST REPORT

SAMPLE DESCRIPTION

Laboratory №	26_001
Date samples received	1.7.2026
Date samples analysed	1.7.2026

Report title	QC report
Consignor	"Energy Resources" LLC
Data reported	1.7.2026

RESULT OF ANALYSIS

№	Sample ID	COAL QUALITY PROPERTIES														
		Moisture, %		Ash, %		Volatile Matter, %		Total sulfur, %		Calorific value, kcal/kg			Crucible swelling number	Caking index	True relative density, (20°C) g/cm³	
		MNS ISO 589:2008	MNS GB/T 212:2015					MNS ISO 351:2001		MNS ISO 1928:2009						
		Mt,ar	Mad	Aad	Ad	Vad	Vdaf	St,ad	St,d	Qgr,ad	Qgr,ar	Qnet,ar	CSN	Gi	TRD,ad	TRDd
1	Washed UHG MV HCC_260108	7.4	0.46	10.90	10.95	24.60	27.75	0.72	0.72	7586	7056	6820	6.5	86	1.36	1.37

Checked by:


Gantulga.U
Senior chemist



Comment:

The test results were calculated according to the MNS ISO 1170 standard.

The sample was not drawn by the laboratory and these test results are representative only of the sample received in the laboratory.

Coal samples were prepared according to MNS GB/T 474 standard.

Unauthorized reproduction of this document is prohibited.

The test report would be invalid without signatures of the persons for approval.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.