
WASHED COAL QUALITY SPECIFICATION

Nº ETT_SP_CC



ISO 45001:2018



ISO 9001:2015



ISO 14001:2015



COAL STOCKPILES QUALITY (weighted average)

TOTAL
MOISTURE (ar)

≤10.0%

ASH (db)

≤10.5%

VOLATILE
MATTER (daf)

≤28.0%

TOTAL SULPHUR (db)

≤0.85%

G INDEX

≥80.0

QUANTITY

19.2.0

THOUSAND TONS

THE FOLLOWING IS THE RESULT OF THE LABORATORY TESTS

ALS GROUP LLC
Mongol National Building, 19nd Khoroо
Chinggis Avenue, Khan-Uul District
Ulaanbaatar, Mongolia
Tel +976 70 007667



CERTIFICATE OF ANALYSIS
MU25002495,25E274,E275,E295,E305,E321,E340,E353,F58,F73,F84,F102,F115,F154-TT

CLIENT: Erdenes Tavantolgoi JSC
ADDRESS: Finance Center, Jigjidsav-8
1st Khoroо, Chingeltei District
Ulaanbaatar, Mongolia
ATTN: Oyumbileg.B
PROJECT NO. xxx
LAB. JOB NO. MU25002495,25E274,E275,E295,E305,E321,E340,E353,F58,F73,F84,F102,F115,F154-TT
NO. SAMPLES: 14
Notes/Comments: xxx

SAMPLES RECEIVED: 23/05/2025 11/04/2025
INSTRUCTIONS RECEIVED: 23/05/2025 11/04/2025
DATE OF REPORT: 25/05/2025 12/06/2025
STATUS OF REPORT: FINAL
ANALYSIS COMPLETE: 25/05/2025 12/06/2025
PREPARATION CODE: CRUSH-01, 02; MILL-01
ANALYSIS CODE: 1.3, COKING COAL
TM, MOIS, ASH, VOL, TSUL,
GCV, CIGN

APPROVED BY: Laboratory Manager



These test results are representative only of the sample received in the laboratory.

STANDARD METHOD		GB/T 211	GB/T 212	GB/T 212	GB/T 212	ISO 19579	GB/T 213	GB/T 212	GB/T 212	GB/T 212	GB/T 212	ISO 19579	GB/T 213
		AS RECEIVED BASIS											
LAB NO.	SAMPLE NO.	Total Moisture (TM)	Ash (ASH)	Volatle Matter (VOL)	Fixed Carbon (FC)	Total Sulphur (TSUL)	Gross Calorific Value (GCV)	Moisture (MOIS)	Ash (ASH)	Volatle Matter (VOL)	Fixed Carbon (FC)	Total Sulphur (TSUL)	Gross Calorific Value (GCV)
		%	%	%	%	%	kcal/kg	%	%	%	%	%	kcal/kg
1	CHPP-CC 2025.05.23_com	8.05	9.13	22.95	59.87	0.56	7089	0.77	9.85	24.77	64.61	0.61	7651
2	CHPP-CC 2025.05.24_com	8.95	8.83	22.28	59.95	0.57	7078	0.88	9.61	24.25	65.26	0.62	7705
3	CHPP-CC 2025.05.25_com	8.01	9.11	22.26	60.62	0.55	7080	0.84	9.82	23.99	65.35	0.60	7631
4	CHPP-CC 2025.05.26_com	7.22	9.37	21.94	61.47	0.57	7158	0.65	10.03	23.49	65.83	0.61	7664
5	CHPP-CC 2025.05.27_com	10.46	9.05	21.26	59.23	0.54	6951	0.63	10.04	23.60	65.73	0.60	7714
6	CHPP-CC 2025.05.28_com	8.79	9.61	22.19	59.42	0.55	7028	0.69	10.46	24.16	64.69	0.60	7652
7	CHPP-CC 2025.05.29_com	8.02	9.59	22.76	59.63	0.61	7088	0.72	10.35	24.56	64.36	0.66	7650
8	CHPP-CC 2025.05.30_com	8.09	9.54	21.99	60.38	0.54	7077	0.81	10.29	23.73	65.16	0.59	7658
9	CHPP-CC 2025.06.04_com	7.67	9.31	22.60	60.41	0.55	7192	0.67	10.02	24.31	64.99	0.59	7738
10	CHPP-CC 2025.06.05_com	8.33	9.85	22.13	59.69	0.58	7056	0.75	10.67	23.96	64.62	0.63	7642
11	CHPP-CC 2025.06.06_com	7.33	9.72	22.60	60.35	0.55	7165	0.70	10.42	24.21	64.67	0.59	7676
12	CHPP-CC 2025.06.07_com	7.55	9.64	22.53	60.26	0.55	7134	0.73	10.35	24.19	64.73	0.59	7661
13	CHPP-CC 2025.06.08_com	8.41	8.90	22.33	60.35	0.55	7133	0.69	9.65	24.22	65.44	0.60	7735
14	CHPP-CC 2025.06.11_com	8.34	8.59	22.56	60.52	0.53	7162	0.60	9.31	24.46	65.63	0.57	7766

QUALITY ASSURANCE/QUALITY CONTROL DATA

STDALSWS-41/25	ASH	VOL	GCV	TSUL
Certified Value	10.93	20.61	7693	0.680
Standard Deviation	0.049	0.076	12	0.007
Unit	%	%	kcal/kg	%
Analyzed value	10.95	20.63	7688	0.679

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.
COPY RIGHT PROTECTED. DOCUMENT

ALS GROUP LLC
Mongol Mekhmel Building, 2nd khoroo
Chinggis Avenue, Khan Uul District
Ulaanbaatar, Mongolia
Tel +976 70 007667



CERTIFICATE OF ANALYSIS

MU25002495,25E274,E275,E295,E305,E321,E340,E353,F58,F73,F86,F102,F115,F154-TT

CLIENT:

Erdenes Tavantolgoi JSC

ADDRESS:

Finance Center, Jigjidsav-8
1st khoroo, Chingeltei District
Ulaanbaatar, Mongolia

ATTN:

Oyunbileg.B

PROJECT NO.

xxx

LAB. JOB NO.

MU25002495,25E274,E275,E295,E305,E321,E340,E353,F58,F73,F86,F102,F115,F154-TT

NO. SAMPLES:

14

Notes/Comments:

xxx

SAMPLES RECEIVED:

23/05/2025 11/06/2025

INSTRUCTIONS RECEIVED:

23/05/2025 11/06/2025

DATE OF REPORT:

25/05/2025 12/04/2025

STATUS OF REPORT:

FINAL

ANALYSIS COMPLETE:

25/05/2025 12/04/2025


PREPARATION CODE:

CRUSH-01, 02; MILL-01

ANALYSIS CODE:

1.3, COKING COAL
TM, MOIS, ASH, VOL, TSUL,
GCV, CKIN

STANDARD METHOD													
LAB NO.	SAMPLE NO.	GB/T 212	GB/T 212	GB/T 212	ISO 19579	GB/T 213	GB/T 212	GB/T 212	ISO 19579	GB/T 213	GB/T 5448	GB/T 5447	
		DRY BASIS					DRY, ASH-FREE BASIS					Coal Caking Index (CKIN)	
		Ash (ASH)	Volatile Matter (VOL)	Fixed Carbon (FC)	Total Sulphur (TSUL)	Gross Calorific Value (GCV)	Volatile Matter (VOL)	Fixed Carbon (FC)	Total Sulphur (TSUL)	Gross Calorific Value (GCV)	Crucible Swelling Number (CSN)	5:1	3:3
		%					%						
		kcal/kg					kcal/kg						
1	CHPP-CC 2025.05.23_com	9.93	24.96	65.11	0.61	7710	27.71	72.29	0.68	8560	7.5	83	-
2	CHPP-CC 2025.05.24_com	9.69	24.47	65.84	0.63	7773	27.10	72.90	0.69	8608	7.5	84	-
3	CHPP-CC 2025.05.25_com	9.90	24.20	65.90	0.60	7696	26.86	73.14	0.67	8542	7.5	82	-
4	CHPP-CC 2025.05.26_com	10.10	23.65	66.26	0.61	7714	26.30	73.70	0.68	8581	7.0	78	-
5	CHPP-CC 2025.05.27_com	10.11	23.74	66.15	0.60	7763	26.41	73.59	0.67	8636	7.0	81	-
6	CHPP-CC 2025.05.28_com	10.53	24.33	65.14	0.60	7705	27.19	72.81	0.67	8612	7.0	80	-
7	CHPP-CC 2025.05.29_com	10.43	24.74	64.83	0.67	7706	27.62	72.38	0.74	8603	7.0	82	-
8	CHPP-CC 2025.05.30_com	10.38	23.93	65.69	0.59	7701	26.70	73.30	0.66	8592	7.0	86	-
9	CHPP-CC 2025.06.04_com	10.09	24.48	65.43	0.59	7790	27.23	72.77	0.66	8664	7.5	84	-
10	CHPP-CC 2025.06.05_com	10.75	24.14	65.11	0.63	7699	27.05	72.95	0.71	8627	7.0	85	-
11	CHPP-CC 2025.06.06_com	10.49	24.39	65.13	0.60	7733	27.24	72.76	0.67	8639	7.0	86	-
12	CHPP-CC 2025.06.07_com	10.43	24.37	65.20	0.59	7717	27.21	72.79	0.66	8616	7.0	85	-
13	CHPP-CC 2025.06.08_com	9.72	24.39	65.90	0.60	7789	27.01	72.99	0.67	8627	7.0	85	-
14	CHPP-CC 2025.06.11_com	9.37	24.61	66.02	0.58	7813	27.15	72.85	0.63	8621	7.0	85	-



ISO 45001:2018



ISO 9001:2015



ISO 14001:2015



www.ett.mn



75055555
1800-1072



Финанс төв, 1-р хороо,
Чингэлтэй дүүрэг,
Улаанбаатар хот

