



НҮҮРСНИЙ ОВООЛГЫН ҮЗҮҮЛЭЛТ

№ ETT_SP_TC



ISO 45001:2018



ISO 9001:2015



ISO 14001:2015



НҮҮРСНИЙ ОВООЛГЫН ЧАНАРЫН ДУНДАЖ ҮЗҮҮЛЭЛТ

НИЙТ ЧИЙГ
TM (ar)

5.0%

(-1.0; +3.0)

НИЙТ ХҮХЭР S(db)

1.0%

(-0.3; +0.5)

ДЭГДЭМХИЙ
БОДИС VM (daf)

34.0%

(max)

ИЛЧЛЭГ (ar)

5500

(-500; +500)

ҮНСЛЭГ Ash (db)

25.0%

(-5.0; +3.0)

БАРЬЦАЛДАХ
ЧАНАР

≤5.0

НҮҮРСНИЙ
ХЭМЖЭЭ

32.0

МЯН.ТН

НҮҮРСНИЙ ОВООЛГЫН ШИНЖИЛГЭЭНИЙ ҮР ДҮН

ALS GROUP LLC
Mongol Nekhmel Building, 2nd khoroo
Chinggis Avenue, Khan-Uul District
Ulaanbaatar, Mongolia
Tel +976 70 007667



CERTIFICATE OF ANALYSIS
25C96,C129,C231,C235,C286,D32,D99-TT

CLIENT: Erdenes Tavantolgoi JSC
ADDRESS: Finance Center, Jigijidjav-8
1st khoroo, Chingeltei District
Ulaanbaatar, Mongolia
ATTN: Javzandulam.B
PROJECT NO. xxx
LAB. JOB NO. 25C96,C129,C231,C235,C286,D32,D99-TT
NO. SAMPLES: 12
Notes/Comments: xxx

SAMPLES RECEIVED: 9/03/2025 09/04/2025
INSTRUCTIONS RECEIVED: 9/03/2025 09/04/2025
DATE OF REPORT: 10/03/2025 10/04/2025
STATUS OF REPORT: FINAL
ANALYSIS COMPLETE: 10/03/2025 10/04/2025
PREPARATION CODE: CRUSH-01, 02; MILL-01
ANALYSIS CODE: 2.1.THERMAL COAL
TM, MOIS, ASH, VOL, TSUL
APPROVED BY: Laboratory Manager
ЧИНХАЛ ИТ ГЭВЧЛЭЛИЙН
ИТГЭМЖ ҮЗЭГДСЭН
ЛАБОРАТОРИ
Quality Manager
ЧЕКОВАН * УНТ402 *
CHECKED BY: Chief Chemist

These test results are representative only of the sample received in the laboratory.

STANDARD METHOD		GB/T 211	GB/T 212	GB/T 212	GB/T 212	ISO 19579	GB/T 213	GB/T 212	GB/T 212	GB/T 212	GB/T 212	ISO 19579	GB/T 213
LAB NO.	SAMPLE NO.	AS RECEIVED BASIS											
		Total Moisture (TM)	Ash (ASH)	Volatile Matter (VOL)	Fixed Carbon (FC)	Total Sulphur (TSUL)	Gross Calorific Value (GCV)	Moisture (MOIS)	Ash (ASH)	Volatile Matter (VOL)	Fixed Carbon (FC)	Total Sulphur (TSUL)	Gross Calorific Value (GCV)
AIR DRIED BASIS													
1	2563809	3.17	22.93	17.05	56.85	0.87	6209	0.59	23.54	17.50	58.37	0.89	6375
2	2563909	3.18	18.90	17.54	60.38	1.30	6577	0.43	19.43	18.04	62.10	1.34	6764
3	2567013	6.08	22.35	17.01	54.56	0.89	5890	1.11	23.54	17.91	57.44	0.94	6201
4	2567113	4.60	20.88	17.06	57.46	1.20	6256	0.65	21.74	17.77	59.84	1.25	6515
5	2574922	3.00	19.12	17.56	60.32	1.00	6527	0.54	19.60	18.00	61.85	1.03	6693
6	2575223	5.12	21.04	15.58	58.26	1.53	6158	0.76	22.01	16.29	60.94	1.60	6441
7	2579029	5.04	18.70	17.67	58.59	1.01	6420	0.73	19.55	18.47	61.26	1.05	6712
8	2579129	6.17	21.91	16.44	55.48	0.84	5997	1.00	23.12	17.35	58.53	0.89	6328
9	2584003	4.22	22.25	17.12	56.40	1.04	6056	0.83	23.04	17.72	58.40	1.08	6270
10	2584103	3.82	24.97	17.30	53.91	0.78	5935	0.46	25.85	17.90	55.79	0.81	6142
11	2588809	5.30	20.86	17.16	56.69	0.74	6094	0.97	21.81	17.94	59.28	0.77	6373
12	2588909	5.09	21.26	16.66	56.99	0.58	6095	1.07	22.16	17.37	59.41	0.61	6354

QUALITY ASSURANCE/QUALITY CONTROL DATA

STDALSWS-40/23	ASH	VOL	GCV	TSUL
----------------	-----	-----	-----	------

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.
COPY RIGHT PROTECTED DOCUMENT

ALS GROUP LLC
Mongol Nekhmel Building, 2nd khoroo
Chinggis Avenue, Khan-Uul District
Ulaanbaatar, Mongolia
Tel +976 70 007667



CERTIFICATE OF ANALYSIS
25C96,C129,C231,C235,C286,D32,D99-TT


CLIENT: Erdenes Tavantolgoi JSC
ADDRESS: Finance Center, Jigjidjav-8
1st khoroo, Chingeltei District
Ulaanbaatar, Mongolia
ATTN: Javzandulam.B
PROJECT NO. xxx
LAB. JOB NO. 25C96,C129,C231,C235,C286,D32,D99-TT
NO. SAMPLES: 12
Notes/Comments: xxx

SAMPLES RECEIVED: 9/03/2025 09/04/2025
INSTRUCTIONS RECEIVED: 9/03/2025 09/04/2025
DATE OF REPORT: 10/03/2025 10/04/2025
STATUS OF REPORT: FINAL
ANALYSIS COMPLETE: 10/03/2025 10/04/2025
PREPARATION CODE: CRUSH-01, 02; MILL-01
ANALYSIS CODE: 2.1_THERMAL COAL
TM, MOIS, ASH, VOL, TSUL,
GCV, CKIN

These test results are representative only of the sample received in the laboratory.

STANDARD METHOD		GB/T 212		GB/T 212		ISO 19579		GB/T 213		GB/T 212		ISO 19579		GB/T 213		GB/T 5447	
LAB NO.	SAMPLE NO.	Ash (ASH)		Volatile Matter (VOL)		Fixed Carbon (FC)		Total Sulphur (TSUL)		Gross Calorific Value (GCV)		Volatile Matter (VOL)		Fixed Carbon (FC)		Total Sulphur (TSUL)	
		%		%		%		%		%		%		%		%	
		kcal/kg		kcal/kg		kcal/kg		kcal/kg		kcal/kg		kcal/kg		kcal/kg		kcal/kg	
1	2563809	23.68	17.60	58.72	0.90	6413	23.07	76.93	1.18	8403	-	15					
2	2563909	19.52	18.12	62.37	1.34	6794	22.51	77.49	1.67	8441	-	15					
3	2567013	23.80	18.11	58.09	0.95	6271	23.77	76.23	1.25	8230	-	10					
4	2567113	21.88	17.88	60.23	1.26	6558	22.89	77.11	1.61	8395	-	15					
5	2574922	19.71	18.10	62.19	1.03	6729	22.55	77.45	1.29	8381	-	13					
6	2575223	22.18	16.42	61.40	1.61	6490	21.10	78.90	2.07	8340	-	11					
7	2579029	19.69	18.60	61.71	1.06	6761	23.17	76.83	1.32	8419	-	15					
8	2579129	23.35	17.52	59.13	0.90	6392	22.86	77.14	1.17	8339	-	12					
9	2584003	23.23	17.87	58.89	1.08	6323	23.28	76.72	1.41	8237	-	2					
10	2584103	25.96	17.99	56.05	0.81	6170	24.29	75.71	1.09	8334	-	15					
11	2588809	22.02	18.12	59.86	0.78	6435	23.24	76.76	1.00	8252	-	5					
12	2588909	22.40	17.55	60.05	0.62	6422	22.62	77.38	0.79	8276	-	10					

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.
COPY RIGHT PROTECTED DOCUMENT



ISO 45001:2018



ISO 9001:2015



ISO 14001:2015



www.ett.mn



75055555
1800-1072



Финанс төв, 1-р хороо,
Чингэлтэй дүүрэг,
Улаанбаатар хот

